

Safety Data Sheet

Prepared according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Revision date: 10/06/2015 Supersedes: All previous versions Version: 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name : Sentinel 505 Smoke & Odor Laundry Wash

Product form : Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture : Laundry additive or detergent for removal of smoke and odors

1.3. Details of the supplier of the safety data sheet

Sentinel Products Inc. 8901 Wyoming Avenue North Brooklyn Park, MN 55445 Phone: (763) 571-0630 Toll-free: (800)-373-0633

www.senpro.com

1.4. Emergency telephone number

Emergency number : 1-866-359-5661

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (GHS-US)

Eye Irritation Category 1 H318 Skin Sensitization Category 1 H317

2.2. Label elements

GHS-US labeling

Hazard pictograms (GHS-US)



GHS07

Signal word (GHS-US) : Danger

Hazard statements (GHS-US) : H318 - Causes serious eye damage

H317 – May cause an allergic skin reaction P261- Avoid breathing mist/vapors/spray.

Precautionary statements (GHS-US) : P261- Avoid breathing mist/vapors/spray.
P272 – Contaminated clothing should not be allowed out of the workplace.

P280 - Wear eye protection/face protection, protective gloves. P302+P352 - IF ON SKIN: Wash with plenty of soap and water.

P333+P313 – If skin irritation or rash occurs: get medical advice/attention.

P363 - Wash contaminated clothing before reuse.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do so. Continue rinsing.
P310 - Immediately call a POISON CENTER or doctor/physician.
P501 - Dispose of contents/container to licensed waste handling facility

2.3. Other hazards

No additional information available

2.4. Unknown acute toxicity (GHS-US)

No data available

SECTION 3: Composition/information on ingredients

3.1 Substance

Not applicable

3.2. Mixture

Name	Product identifier	%
Water	(CAS No) 7732-18-5	Proprietary*

Safety Data Sheet

Prepared according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Name	Product identifier	%
Surfactant Blend	(CAS No) Proprietary*	Proprietary*
Fragrance	(CAS No) Proprietary*	Proprietary*
Methanol	(CAS No) 67-56-1	<1%

^{*}The specific chemical identity and exact percentage of composition has been withheld as a trade secret

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice

(show the label where possible).

First-aid measures after inhalation : IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing. Call a

POISON CENTER or doctor/physician if you feel unwell.

First-aid measures after skin contact : IF ON SKIN : Rinse and wash with plenty of soap and water. Remove contaminated clothing and

shoes and wash before reuse.

First-aid measures after eye contact : IF IN EYES: Immediately rinse cautiously with water for 15 minutes while holding eyelids open.

Remove contact lenses, if present and easy to do so. Continue rinsing. Get medical

advice/attention promptly.

First-aid measures after ingestion : IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. If vomiting occurs spontaneously,

keep head below hips to prevent aspiration. Get medical advice/attention promptly.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries : May be fatal if swallowed and enters airways.

Symptoms/injuries after inhalation : Inhalation in high concentrations may cause irritation of the mucous membranes. Aspiration of

this material into the lungs may cause chemical pneumonia or death.

Symptoms/injuries after skin contact : Contact may cause irritation or an allergic skin reaction. Persons with a pre-existing skin

condition may be more susceptible to the effects of this product.

Symptoms/injuries after eye contact : Direct contact with the eyes is likely to be irritating. May cause burns and possible corneal

damage.

Symptoms/injuries after ingestion : Irritating to the mucous membranes of the mouth, throat, esophagus or stomach.

Chronic symptoms : No data available.

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Dry chemical. Carbon dioxide. Foam.

5.2. Special hazards arising from the substance or mixture

Explosion hazard : Heat may build pressure, rupturing closed containers, spreading fire and increasing risk of burns

and injuries.

Reactivity : No dangerous reactions known under normal conditions of use.

5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

chemical fire. Do not dispose of fire-fighting water in the environment.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Evacuate area. Keep upwind. Ventilate area. Spill should be handled by trained clean-up crews

properly equipped with respiratory equipment and full chemical protective gear (see Section 8).

6.1.1. For non-emergency personnel

Protective equipment : Wear Protective equipment as described in Section 8.

Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Wear suitable protective clothing, gloves and eye or face protection. Approved supplied-air

respirator, in case of emergency.

Safety Data Sheet

Prepared according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters. Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

For containment

: Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. Foam may be used to suppress vapors.

Methods for cleaning up

: Mop up spills and flush residues with large volume of water, or soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Place in a suitable container for disposal in accordance with the waste regulations (see Section 13).

6.4. Reference to other sections

No additional information available

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling

Do not handle until all safety precautions have been read and understood. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapor. Do not breathe mists.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions

: Keep only in the original container in a cool, well ventilated place away from : Heat sources. Keep container closed when not in use. Do not allow product to freeze as container may burst.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Surfactant Blend (Proprietary*)		
Remark (ACGIH)	OELs not established	
Remark (US OSHA)	15 mg/m ³ (total)	

Fragrance (Proprietary*)		
Remark (ACGIH)	OELs not established	
Remark (US OSHA)	OELs not established	

Methanol (67-56-1)	
Remark (ACGIH)	STEL - 250 ppm, TWA – 200 ppm
Remark (US OSHA)	TWA – 200 ppm, TWA – 260 mg/m ³
	(Vacated) TWA – 200 ppm, TWA – 260 mg/m ³
	(Vacated) STEL – 250 ppm, STEL – 325 mg/m ³

8.2. Exposure controls

Appropriate engineering controls

Personal protective equipment

- : Ensure adequate ventilation, especially in confined areas.
- : Protective goggles. Respiratory protection of the dependent type may be permissible under certain circumstances where airborne concentrations are expected to exceed exposure limits.



Hand protection

: Use gloves chemically resistant to this material when prolonged or repeated contact could occur or if pre-existing skin conditions are present. Gloves should be classified under Standard EN 374 or ASTM F1296. Suggested glove materials are: Natural rubber ("latex"), Neoprene, Nitrile/butadiene rubber, Polyethylene, Ethyl vinyl alcohol laminate, PVC or vinyl.

Eye protection

: Eye protection, including both chemical splash goggles and face shield, must be worn when possibility exists for eye contact due to spraying liquid or airborne particles.

: Wear suitable protective clothing.

Skin and body protection

Sentinel 505 Smoke & Odor Laundry Wash 3/7

Safety Data Sheet

Prepared according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Respiratory protection

: An approved organic vapor respirator/supplied air or self-contained breathing apparatus must be used when vapor concentration exceeds applicable exposure limits.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid
Appearance : Clear
Color : None
Odor : Fragranced
Odor Threshold : No data available

5.5 - 7.0Relative evaporation rate (butyl acetate=1) : Slower than ether : No data available Melting point Freezing point No data available : >100 °C (212 °F) Boiling point Flash point None to boiling Self ignition temperature : No data available Decomposition temperature : No data available Flammability (solid, gas) No data available Vapor pressure No data available Relative vapor density at 20 °C : No data available Relative density : No data available Solubility : No data available No data available Log Pow Log Kow No data available Viscosity, kinematic : No data available

SECTION 10: Stability and reactivity

10.1. Reactivity

Viscosity, dynamic

Explosive properties

Oxidizing properties

Explosive limits

No dangerous reactions known under normal conditions of use.

10.2. Chemical stability

Stable under recommended handling and storage conditions (see section 7).

No data available

: No data available

: No data available

: No data available

10.3. Possibility of hazardous reactions

None known.

10.4. Conditions to avoid

Freezing.

10.5. Incompatible materials

None known.

10.6. Hazardous decomposition products

Thermal decomposition generates: Oxides of carbon and chlorine.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified

Safety Data Sheet

Prepared according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Surfactant Blend (Proprietary*)		
LD50 oral rat	No data available	
LD50 dermal rabbit	No data available	

Fragrance (Proprietary*)		
LD50 oral rat	No data available	
LD50 dermal rabbit	No data available	

Methanol (67-65-1)		
LD50 oral rat	> 5500 mg/kg	
LD50 dermal rabbit	> 15500 mg/kg	
LC50 vapor rat	83.2 mg/L (4 hr) 64000 ppm (4 hr)	

Skin corrosion/irritation : Skin Sensitizer Category 1 : Eye Irritant Category 1 Serious eye damage/irritation

Respiratory or skin sensitization Not classified Germ cell mutagenicity Not classified Carcinogenicity : Not classified

Reproductive toxicity : Not classified Specific target organ toxicity (single exposure) : Not classified

Specific target organ toxicity (repeated

exposure)

: Not classified

Aspiration hazard : May be fatal if swallowed and enters airways.

Inhalation in high concentrations may cause irritation of the mucous membranes. Aspiration of Symptoms/injuries after inhalation

this material into the lungs may cause chemical pneumonia or death.

Symptoms/injuries after skin contact Contact may cause irritation or an allergic skin reaction. Persons with a pre-existing skin condition may be more susceptible to the effects of this product.

Symptoms/injuries after eye contact Direct contact with the eyes is likely to be irritating. May cause burns and possible corneal

damage.

Symptoms/injuries after ingestion : Irritating to the mucous membranes of the mouth, throat, esophagus or stomach.

Chronic symptoms : No data available.

SECTION 12: Ecological information

12.1. **Toxicity**

No additional information available

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

12.5. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

Waste treatment methods

: Do not discharge to public wastewater systems without permit of pollution control authorities. No Waste treatment methods

discharge to surface waters is allowed without an NPDES permit.

Waste disposal recommendations : Dispose in a safe manner in accordance with local/national regulations. Do not allow the product

to be released into the environment.

Safety Data Sheet

Prepared according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

US EPA Waste Number

Chemical Name	RCRA	RCRA – Basis for Listing	RCRA – D Series Wastes	RCRA – U Series Wastes
Methanol (67-56-1)		Included in waste stream: F309		U154

California Hazardous Waste Status

Chemical Name	California Hazardous Waste Status	
Methanol (67-56-1)	Toxic	
	Ignitable	

SECTION 14: Transport information

In accordance with DOT

Transport document description : Cleaning Compound Department of Transportation (DOT) Hazard : Not Regulated

Classes

Transport by sea

No additional information available

Air transport

No additional information available

In accordance with ADR / RID / IMDG / IATA / ADN

SECTION 15: Regulatory information

15.1. US Federal regulations

Sentir	el 505 Smok	e & Odor Laund	lry Wash	

All chemical substances in this product are listed oe exempt from listing in the EPA (Environmental Protection Agency) TSCA (Toxic Substances Control Act) Inventory

SARA Section 311/312 Hazard Classes Immediate (acute) health hazard

CERCLA

Chemical Name	Hazardous Substance RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Methanol (67-56-1)	5000 lb		RQ 5000 lb final RQ
			RQ 2270 kg final RQ

15.2. International regulations

CANADA

No additional information available

15.3. US State regulations

California Proposition 65

This product contains the following Proposition 65 chemicals

Chemical Name	California Proposition 65	
Methanol (67-56-1)	Developmental	

US State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Methanol (67-56-1)	Х	X	X

SECTION 16: Other information

Indication of changes : Revision 1.0 6 October 2015 – New SDS created

Other information : Author, KAD

10/06/2015 Sentinel 505 Smoke & Odor Laundry 6/7

Safety Data Sheet

Prepared according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

NFPA health hazard : 1 - Exposure could cause irritation but only minor residual

injury even if no treatment is given.

NFPA fire hazard : 0 - Materials that will not burn under typical fire conditions.

: 0 - Normally stable, even under fire exposure conditions,

and are not reactive with water.



HMIS III Rating

NFPA reactivity

Health : 1
Flammability : 0
Physical : 0
Personal Protection :

The information in this document is believed to be correct as of the date issued. However, no warranty of merchantability, fitness for any particular purpose, or any other warranty is expressed or is to be implied regarding the accuracy or completeness of this information, the results to be obtained from the use of this product or the hazards related to its use. This information and product are furnished on the condition that the person receiving them shall make his own determination as to the suitability of the product for his particular purpose and on the condition that he assume the risk of his use thereof.