

Sentinel 606 Aqua Emulsion Degreaser

Safety Data Sheet

Prepared according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Revision date: 09/25/2015 Supersedes: All previous versions Version: 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name : Sentinel 606 Aqua Emulsion Degreaser

Product form : Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture : Industrial cleaning and degreasing

1.3. Details of the supplier of the safety data sheet

Sentinel Products Inc. 8901 Wyoming Avenue North Brooklyn Park, MN 55445 Phone: (763) 571-0630 Toll-free: (800)-373-0633

www.senpro.com

1.4. Emergency telephone number

Emergency number : 1-866-359-5661

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (GHS-US)

Eye Irritation Category 1 H318

2.2. Label elements

GHS-US labeling

Hazard pictograms (GHS-US)



GHS05

Signal word (GHS-US) : Danger

Hazard statements (GHS-US) : H318 - Causes serious eye damage

Precautionary statements (GHS-US) : P280 - Wear eye protection, protective clothing, protective gloves

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do so. Continue rinsing. P310 - Immediately call a POISON CENTER or doctor/physician.

P403+P233 - Store in a well-ventilated place. Keep container tightly closed.

P405 - Store locked up

P501 - Dispose of contents/container to licensed waste handling facility

2.3. Other hazards

No additional information available

2.4. Unknown acute toxicity (GHS-US)

No data available

SECTION 3: Composition/information on ingredients

3.1. Substance

Not applicable

3.2. Mixture

Name	Product identifier	%
Trisodium Phosphate Anhydrous	(CAS No) 7601-54-9	Proprietary*
Sodium Metasilicate Pentahydrate	(CAS No) 6834-92-0	Proprietary*
2-(2-butoxyethoxy)ethanol	(CAS No) 112-34-5	Proprietary*
Surfactant Blend	(CAS No) Proprietary	Proprietary*

^{*}The component information and the exact percentage of composition has been withheld as a trade secret

Sentinel 606 Aqua Emulsion Degreaser Safety Data Sheet Prepared according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice

(show the label where possible).

First-aid measures after inhalation : IF INHALED: If breathing difficulties, dizziness, or light-headedness occur when working in areas

with high vapor concentration, victim should seek air free of vapors. If breathing stops, begin

artificial respiration and seek immediate medical attention.

First-aid measures after skin contact : IF ON SKIN: Immediately rinse with plenty of soap and water (for at least 15 minutes). Remove

contaminated clothing and wash before reuse. If irritation or redness develops and persists, get

medical advice/attention.

First-aid measures after eye contact : IF IN EYES: Rinse immediately and thoroughly, pulling the eyelids well away from the eye (15

minutes minimum). Remove contact lenses, if present and easy to do so. Continue rinsing. If eye

irritation occurs, get medical advice/attention.

: IF SWALLOWED: Do NOT induce vomiting. Immediately call a POISON CENTER or First-aid measures after ingestion

doctor/physician.

4.2. Most important symptoms and effects, both acute and delayed

: May be fatal if swallowed and enters airways. Symptoms/injuries

Symptoms/injuries after inhalation This product may cause headaches.

Symptoms/injuries after skin contact : Contact may cause irritation. Persons with pre-existing skin disorders may be more susceptible

to the effects of this material.

Symptoms/injuries after eye contact : Direct contact with the eyes is likely to be irritating. Symptoms/injuries after ingestion : Burns to the mouth, esophagus and stomach.

Chronic symptoms : No data available.

Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Dry chemical. Carbon dioxide. Foam.

5.2. Special hazards arising from the substance or mixture

: Heat may build pressure, rupturing closed containers, spreading fire and increasing risk of burns Explosion hazard

and injuries.

Reactivity : No dangerous reactions known under normal conditions of use.

5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

chemical fire. Do not dispose of fire-fighting water in the environment.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Evacuate area. Keep upwind. Ventilate area. Spill should be handled by trained clean-up crews

properly equipped with respiratory equipment and full chemical protective gear (see Section 8).

For non-emergency personnel

Protective equipment : Wear Protective equipment as described in Section 8.

Emergency procedures : Evacuate unnecessary personnel.

For emergency responders 6.1.2.

Protective equipment : Wear suitable protective clothing, gloves and eye or face protection. Approved supplied-air

respirator, in case of emergency.

Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters. Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

For containment : Contain any spills with dikes or absorbents to prevent migration and entry into sewers or

streams. Foam may be used to suppress vapors.

: Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Place in Methods for cleaning up a suitable container for disposal in accordance with the waste regulations (see Section 13). Flush

residue with a large volume of water.

Prepared according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

6.4. Reference to other sections

No additional information available

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling

: Do not handle until all safety precautions have been read and understood. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapor. Do not breathe mists.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions

: Keep only in the original container in a cool, well ventilated place away from : Heat sources. Keep container closed when not in use. Do not allow to freeze as container may burst.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Trisodium Phosphate Anhydrous (7601-54-9)**	
Remark (ACGIH)	10 mg/m³ (inhalable) 8-hr TWA, 3 mg/m³ (respirable) 8-hr TWA
Remark (US OSHA)	15 mg/m³ (total dust) 8-hr TWA, 5 mg/m³ (respirable) 8-hr TWA

^{**}OSHA and ACGIH have not established specific exposure limits for this material. However, OSHA and ACGIH have established limits for particulates not otherwise regulated (PNOR) and particulates not otherwise classified (PNOC) which are the least stringent exposure limits applicable to dusts.

Sodium Metasilicate Pentahydrate (6834-92-0)	
Remark (ACGIH)	OELs not established
Remark (US OSHA)	OELs not established

While exposure limits are not assigned for this material, an exposure limit of 2 mg/m³ (15 min TWA) is recommended by analogy with sodium hydroxide.

2-(2-butoxyethoxy)ethanol (112-34-5)	
Remark (ACGIH)	TWA - 10 ppm
Remark (US OSHA)	OELs not established

Surfactant Blend (Proprietary)		
Remark (ACGIH)	OELs not established	
Remark (US OSHA)	OELs not established	

8.2. Exposure controls

Eye protection

Skin and body protection

Respiratory protection

Appropriate engineering controls

: Ensure adequate ventilation, especially in confined areas.

Personal protective equipment : Gloves.Protective goggles.





Hand protection : Use gloves chemically resistant to this material when prolonged or repeated contact could occur.

Gloves should be classified under Standard EN 374 or ASTM F1296. Suggested glove materials are: Natural rubber ("latex"), Neoprene, Nitrile/butadiene rubber, Polyethylene, Ethyl vinyl

3/7

alcohol laminate, PVC or vinyl.

: Eye protection, including both chemical splash goggles and face shield, must be worn when possibility exists for eye contact due to spraying liquid or airborne particles.

: Wear suitable protective clothing if deemed to be necessary.

: An approved organic vapor respirator/supplied air or self-contained breathing apparatus must be

used when vapor concentration exceeds applicable exposure limits.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

9/25/15 Sentinel 606 Aqua Emulsion Degreaser

: No data available

Prepared according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Clear **Appearance** Color None Odor : Citrus

: No data available Odor Threshold

: 11-12

Relative evaporation rate (butyl acetate=1) : Slower than ether Melting point : No data available Freezing point : 0 °C (32 °F) Boiling point : >100 °C (212 °F) Flash point : None to boiling Self ignition temperature : No data available Decomposition temperature : No data available Flammability (solid, gas) : No data available : No data available Vapor pressure Relative vapor density at 20 °C : No data available Relative density : No data available Solubility : No data available Log Pow : No data available : No data available Log Kow Viscosity, kinematic : No data available : No data available Viscosity, dynamic Explosive properties : No data available Oxidizing properties : No data available Explosive limits

SECTION 10: Stability and reactivity

10.1. Reactivity

No dangerous reactions known under normal conditions of use.

10.2. Chemical stability

Stable under recommended handling and storage conditions (see section 7).

10.3. Possibility of hazardous reactions

None known.

10.4. Conditions to avoid

Freezing.

10.5. Incompatible materials

Avoid contact with: Strong acids.

10.6. Hazardous decomposition products

Thermal decomposition generates: Carbon dioxide.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

: Not classified Acute toxicity

Trisodium Phosphate Anhydrous (7601-54-9)		
LD50 oral rat	> 4100 mg/kg	
LD50 dermal rabbit	> 7500 mg/kg	

Sodium Metasilicate Pentahydrate (6834-92-0)	
LD50 oral rat	> 1100 mg/kg
LD50 dermal rabbit	> 5000 mg/kg
LC50 Inhalation rat	> 2 g/m ³

Prepared according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

2-(2-butoxyethoxy)ethanol (112-	34-5)	
LD50 oral rat	> 4500 mg/kg	
LD50 dermal rabbit	> 2500 mg/kg	

Surfactant Blend (Proprietary)

LD50 oral rat 1 g/kg

Skin corrosion/irritation : Not classified

Serious eye damage/irritation : Eye Irritant Category 1

Respiratory or skin sensitization : Not classified Germ cell mutagenicity : Not classified Carcinogenicity : Not classified

Reproductive toxicity : Not classified Specific target organ toxicity (single exposure) : Not classified

Specific target organ toxicity (repeated

exposure)

: Not classified

Aspiration hazard : May be fatal if swallowed and enters airways.

Symptoms/injuries after inhalation : Inhalation in high concentrations may cause headache. Aspiration of this material into the lungs

may cause chemical pneumonia or death.

Symptoms/injuries after skin contact : Contact may cause irritation.

Symptoms/injuries after eye contact : Direct contact with the eyes is likely to be irritating. May cause burns and possible corneal

damage.

Symptoms/injuries after ingestion : Burns to the mouth, esophagus and stomach.

Chronic symptoms : No data available.

SECTION 12: Ecological information

12.1. Toxicity

No additional information available

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

12.5. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods : Do not discharge to public wastewater systems without permit of pollution control authorities. No

discharge to surface waters is allowed without an NPDES permit.

Waste disposal recommendations : Dispose in a safe manner in accordance with local/national regulations. Do not allow the product

to be released into the environment.

SECTION 14: Transport information

In accordance with DOT

Transport document description : Cleaning Compound Department of Transportation (DOT) Hazard : Not Regulated

Classes

Transport by sea

No additional information available

Prepared according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Air transport

No additional information available

In accordance with ADR / RID / IMDG / IATA / ADN

SECTION 15: Regulatory information

15.1. US Federal regulations

Sentinel 606 Aqua Emulsion Degreaser

All chemical substances in this product are listed in the EPA (Environmental Protection Agency) TSCA (Toxic Substances Control Act) Inventory

SARA Section 311/312 Hazard Classes Immediate (acute) health hazard

Trisodium Phosphate Anhydrous (7601-54-9)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Sodium Metasilicate Pentahydrate (6834-92-0)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

2-(2-butoxyethoxy)ethanol (112-34-5)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Surfactant Blend (Proprietary)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

15.2. International regulations

CANADA

Trisodium Phosphate Anhydrous (7601-54-9)

Listed on the Canadian DSL (Domestic Substances List) inventory

Sodium Metasilicate Pentahydrate (6834-92-0)

Listed on the Canadian DSL (Domestic Substances List) inventory

2-(2-butoxyethoxy)ethanol (112-34-5)

Listed on the Canadian DSL (Domestic Substances List) inventory

Surfactant Blend (Proprietary)

Listed on the Canadian DSL (Domestic Substances List) inventory

No additional information available

15.2.2. National regulations

Trisodium Phosphate Anhydrous (7601-54-9)

Listed on Inventory of Existing Chemical Substances (IECSC)

Listed on the AICS (the Australian Inventory of Chemical Substances)

Listed on the Japanese ENCS (Existing & New Chemicals Substances) inventory.

Listed on the Korean ECL (Existing Chemical List) inventory.

Listed on the Philippines CCS (Chemicals & Chemical Substances) inventory.

Sodium Metasilicate Pentahydrate (6834-92-0)

Listed on the AICS (the Australian Inventory of Chemical Substances)

2-(2-butoxyethoxy)ethanol (112-34-5)

Listed on Inventory of Existing Chemical Substances (IECSC)

Listed on the AICS (the Australian Inventory of Chemical Substances)

Listed on the Japanese ENCS (Existing & New Chemicals Substances) inventory.

Listed on the Korean ECL (Existing Chemical List) inventory.

Listed on the Philippines CCS (Chemicals & Chemical Substances) inventory.

Surfactant Blend (Proprietary)

Listed on the European Inventory of Existing Chemical Substances (EINECS)

Listed on Inventory of Existing Chemical Substances (IECSC)

Listed on the AICS (the Australian Inventory of Chemical Substances)

Listed on the Korean ECL (Existing Chemical List) inventory.

Listed on the Philippines CCS (Chemicals & Chemical Substances) inventory.

15.3. US State regulations

Sentinel 606 Aqua Emulsion Degreaser Safety Data Sheet Prepared according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

California Proposition 65

This product does not contain any substances known to the state of California to cause cancer and/or reproductive harm

SECTION 16: Other information

: Revision 1.0 - 15 September 2015 - New SDS Created. Indication of changes

: Author, KAD Other information

NFPA health hazard : 1 - Exposure could cause irritation but only minor residual

injury even if no treatment is given.

NFPA fire hazard : 0 - Materials that will not burn under typical fire conditions.

NFPA reactivity : 0 - Normally stable, even under fire exposure conditions,

and are not reactive with water.



HMIS III Rating

Health : 1 Flammability : 0 Physical : 0 Personal Protection

The information in this document is believed to be correct as of the date issued. However, no warranty of merchantability, fitness for any particular purpose, or any other warranty is expressed or is to be implied regarding the accuracy or completeness of this information, the results to be obtained from the use of this product or the hazards related to its use. This information and product are furnished on the condition that the person receiving them shall make his own determination as to the suitability of the product for his particular purpose and on the condition that he assume the risk of his use thereof.