

Safety Data Sheet

Prepared according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Revision date: 09/02/2015 Supersedes: All previous versions Version: 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. **Product identifier**

: Sentinel Citrosolve Mastic Remover

Product name Product form

: Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

:

 \wedge

 \wedge

Use of the substance/mixture

: Mastic adhesive removal

Details of the supplier of the safety data sheet 1.3.

Sentinel Products Inc. 8901 Wyoming Avenue North Brooklyn Park, MN 55445 Phone: (763) 571-0630 Toll-free: (800)-373-0633 www.senpro.com

1.4. **Emergency telephone number**

Emergency number

: 1-866-359-5661

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (GHS-US)

Flammable Liquid Category 3	H226 H332
Acute Inhalation Toxicity: Vapors Category 4 Aspiration Toxicity Category 1	пзэ2 H304
Skin Sensitization Category 1	H317
Skin Irritation Category 2	H315
Eye Irritation Category 2	H319
Single Target Organ Toxicity SE - Dizziness Category 1	
Chronic Aquatic Toxicity	H411

2.2. Label elements

GHS-US labeling

Hazard pictograms (GHS-US)

	GHS02 GHS07 GHS08 GHS09
Signal word (GHS-US)	5 Danger
Hazard statements (GHS-US)	 H226 - Flammable liquid and vapor H332 - Harmful if inhaled H319 - Causes serious eye irritation H317 - May cause an allergic skin reaction H315 - Causes skin irritation H336 - May cause drowsiness or dizziness H304 - May be fatal if swallowed and enters airways H411 - Toxic to aguatic life with long lasting effects
Precautionary statements (GHS-US)	 P210 - Keep away from heat, open flames, sparks No smoking P233 - Keep container tightly closed. P240 - Ground/bond container and receiving equipment. P241 - Use explosion-proof electrical/ventilating/lighting equipment. P242 - Use only non-sparking tools. P243 - Take precautionary measures against static discharge. P261 - Avoid breathing vapors P271 - Use only outdoors or in a well ventilated area P272 - Contaminated work clothing should not be allowed out of the workplace P264 - Wash hands thoroughly after handling. P280 - Wear eye protection, protective clothing, protective gloves P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. P312 - Call a POISON CENTER or doctor/physician if you feel unwell. P303+P361+P353 - IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin/hair with water/shower. P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.
09/02/2015	Sentinel Citrosolve Mastic Remover Page 1

Safety Data Sheet

Prepared according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

P362 - Take off contaminated clothing and wash before reuse. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do so. Continue rinsing. P337+P313 - If eye irritation persists: Get medical advice/attention. P301+P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician
P331 - If swallowed, do NOT induce vomiting P273 - Avoid release to the environment.
P391 - Collect spillage.
P370+P378 - In case of fire: Use dry chemical, foam, CO2 for extinction
P403+P235 - Store in a well-ventilated place. Keep cool
P233 - Keep container tightly closed
P405 - Store locked up
P501 - Dispose of contents/container to licensed waste handling facility

2.3. Other hazards

No additional information available

2.4. Unknown acute toxicity (GHS-US)

No data available

SECTION 3: Composition/information on ingredients

3.1. Substance

Not applicable

3.2. Mixture

Name	Product identifier	%
Petroleum distillates, hydrotreated light	(CAS No) 64742-47-8	Proprietary*
d-Limonene	(CAS No) 5989-27-5	Proprietary*
2-(2-butoxyethoxy)ethanol	(CAS No) 112-34-5	Proprietary*
Surfactant	(CAS No) Proprietary	Proprietary*
*The exact product identification and/or percentage of composition has been withheld as a trade secret		

SECTION 4: First aid measures

4.1. Description of first aid measure	es			
First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).			
First-aid measures after inhalation	: IF INHALED: If breathing difficulties, dizziness, or light headedness occur when working in areas with high vapor concentation, remove to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell. If breathing stops, begin artificial respiration and seek immediate medical attention.			
First-aid measures after skin contact	: IF ON SKIN: Remove contaminated clothing. Immediately rinse with plenty of mild soap and water (for at least 15 minutes). If skin irritation occurs, get medical advice/attention.			
First-aid measures after eye contact	: IF IN EYES: Rinse immediately and thoroughly, pulling the eyelids well away from the eye (15 minutes minimum). Remove contact lenses, if present and easy to do so. Continue rinsing. If eye irritation occurs, get medical advice/attention.			
First-aid measures after ingestion	: IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. Do NOT induce vomiting. Obtain emergency medical attention.			
4.2. Most important symptoms and	4.2. Most important symptoms and effects, both acute and delayed			
Symptoms/injuries	: May be fatal if swallowed and enters airways.			
Symptoms/injuries after inhalation	: Inhalation of excessive concentration of vapors or mists may cause irritation of the nose and throat and signs of nervous system depression (e.g. drowsiness, dizziness, loss of coordination and fatigue). Persons with impaired lung function or asthma-like conditions may experience additional breathing difficulties due to the irritant properties of the material.			
Symptoms/injuries after skin contact	 Contact may cause irritation. Prolonged or repeated exposure to this material may cause redness, burining, drying or cracking of the skin or dermatitis. Persons with pre-existing skin disorders may be more susceptible to the effects of this material. 			
Symptoms/injuries after eye contact	: Direct contact with the eyes is likely to be irritating. May cause burning, tearing or redness.			
Symptoms/injuries after ingestion	 Ingestion of excessive quantities may cause irritation of the digestive tract and signs of nervous system depression (e.g. drowsiness, dizziness, loss of coordination and fatigue). Acute exposure to these compounds results in narcosis, pulmonary edema, and severe kidney and liver damage. 			
Chronic symptoms	: No data available.			
4.3. Indication of any immediate medical attention and special treatment needed				

No additional information available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

: Dry chemical. Carbon dioxide. Foam.

Safety Data Sheet

Prepared according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

5.2. Special hazards arising from the substance or mixture			
Fire hazard	: This material is an NFPA II combustible liquid.		
Explosion hazard	: Heat may build pressure, rupturing closed containers, spreading fire and increasing risk of burns and injuries.		
Reactivity	: No dangerous reactions known under normal conditions of use.		
5.3. Advice for firefighters			
Firefighting instructions	: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Do not dispose of fire-fighting water in the environment.		
Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.			
SECTION 6: Accidental release measures			
6.1. Personal precautions, protective equipment and emergency procedures			
General measures	: Evacuate area. Keep upwind. Ventilate area. Keep all sources of ignition and hot metal surfaces away from spill. Spill should be handled by trained clean-up crews properly equipped with respiratory equipment and full chemical protective gear (see Section 8).		
6.1.1. For non-emergency personnel			

Protective equipment Emergency procedures	Wear Protective equipment as described in Section 8.Evacuate unnecessary personnel.
6.1.2. For emergency responders Protective equipment	: Wear suitable protective clothing, gloves and eye or face protection. Approved supplied-air respirator, in case of emergency.

6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters. Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

For contain	ment	:	Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. Foam may be used to suppress vapors.
Methods fo	r cleaning up	:	Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Place in a suitable container for disposal in accordance with the waste regulations (see Section 13).
6.4. R	Reference to other sections		

No additional information available

SECTION 7: Handling and storage		
7.1. Precautions for safe handling		
Precautions for safe handling	: Do not handle until all safety precautions have been read and understood. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapor. Do not breathe mists. Keep away from sources of ignition - No smoking.	
7.2. Conditions for safe storage, including any incompatibilities		
Storage conditions	: Keep only in the original container in a cool, well ventilated place away from : Heat sources. Keep container closed when not in use.	

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Petroleum distillates, hydrotreated light (64742-47-8)		
Remark (ACGIH)	OELs not established	
Remark (US OSHA)	OELs not established	
d-Limonene (5989-27-5)		
Remark (ACGIH)	OELs not established	
Remark (US OSHA)	OELs not established	

2-(2-butoxyethoxy)ethanol (112-34-5)	
Remark (ACGIH)	TWA - 10 ppm
Remark (US OSHA)	OELs not established

Safety Data Sheet

Prepared according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Surfactant (Proprietary)		
	Remark (ACGIH)	OELs not established
	Remark (US OSHA)	OELs not established

8.2. Exposure controls

Appropriate engineering controls Personal protective equipment

- : Ensure adequate ventilation, especially in confined areas.
- : Gloves. Protective clothing. Protective goggles. Respiratory protection of the dependent type.



Hand protection	: Use gloves chemically resistant to this material when prolonged or repeated contact could occur. Gloves should be classified under Standard EN 374 or ASTM F1296. Suggested glove materials are: Natural rubber ("latex"), Neoprene, Nitrile/butadiene rubber, Polyethylene, Ethyl vinyl alcohol laminate, PVC or vinyl.
Eye protection	Eye protection, including both chemical splash goggles and face shield, must be worn when possibility exists for eye contact due to spraying liquid or airborne particles.
Skin and body protection	: It is suggested a source of clean water be available in the work area for flushing eyes and skin. Impervious clothing should be worn as needed.
Respiratory protection	: An approved organic vapor respirator/supplied air or self-contained breathing apparatus must be used when vapor concentration exceeds applicable exposure limits.

SECTION 9: Physical and chemical properties

	- pp -:		
9.1. Information on basic physical and chemical properties			
Physical state	: Liquid		
Appearance	: Clear		
Color	: None to amber		
Odor	: Orange Citrus		
Odor Threshold	: No data available		
pH	: Not applicable		
Relative evaporation rate (butyl acetate=1)	: No data available		
Melting point	: No data available		
Freezing point	: No data available		
Boiling point	: 187 - 204 °C (370-400 °F)		
Flash point	: 43 °C (109 °F) Note: Minimum. Method: PMCC		
Self ignition temperature	: No data available		
Decomposition temperature	: No data available		
Flammability (solid, gas)	: No data available		
Vapor pressure	: Negligible		
Relative vapor density at 20 °C	: Heavier than air.		
Relative density	: No data available		
Solubility	: No data available		
Log Pow	: No data available		
Log Kow	: No data available		
Viscosity, kinematic	: No data available		
Viscosity, dynamic	: No data available		
Explosive properties	: No data available		
Oxidizing properties	: No data available		
Explosive limits	: No data available		

SECTION 10: Stability and reactivity

10.1. Reactivity

No dangerous reactions known under normal conditions of use.

10.2. Chemical stability

Stable under recommended handling and storage conditions (see section 7).

10.3. Possibility of hazardous reactions

None known.

Safety Data Sheet

Prepared according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

10.4. Conditions to avoid

Sparks. Heat. Open flame.

10.5. Incompatible materials

Avoid contact with : Oxidizing agents.

10.6. Hazardous decomposition products

Thermal decomposition generates : Carbon oxides (CO, CO2).

SECTION 11: Toxicological information

11.1. Information on toxicological effects

39 19
h
•

2-(2-butoxyethoxy)ethanol (112-34-5)	
LD50 oral rat	> 4500 mg/kg
LD50 dermal rabbit	> 2500 mg/kg

Surfactant (Proprietary)		
LD50 oral rat		> 1300 mg/kg
LD50 dermal rabbit		> 2 g/kg
Skin corrosion/irritation	:	Skin Irritant Category 2
Serious eye damage/irritation	:	Eye Irritant Category 2
Respiratory or skin sensitization	:	Skin sensitizer
Germ cell mutagenicity	:	Not classified
Carcinogenicity	:	Not classified
Reproductive toxicity	:	Not classified
Specific target organ toxicity (single exposure)	:	Inhalation may cause drowsiness and dizziness
Specific target organ toxicity (repeated exposure)	:	Not classified
Aspiration hazard	:	May be fatal if swallowed and enters airways.
Symptoms/injuries after inhalation	:	Inhalation of excessive concentration of vapors or mists may cause irritation of the nose and throat and signs of nervous system depression (e.g. drowsiness, dizziness, loss of coordination and fatigue). Persons with impaired lung function or asthma-like conditions may experience additional breathing difficulties due to the irritant properties of the material.
Symptoms/injuries after skin contact	:	Contact may cause irritation. Prolonged or repeated exposure to this material may cause redness, burining, drying or cracking of the skin or dermatitis. Persons with pre-existing skin disorders may be more susceptible to the effects of this material.
Symptoms/injuries after eye contact	:	Direct contact with the eyes is likely to be irritating. May cause burning, tearing or redness.
Symptoms/injuries after ingestion	:	Ingestion of excessive quantities may cause irritation of the digestive tract and signs of nervous system depression (e.g. drowsiness, dizziness, loss of coordination and fatigue). Acute exposure to these compounds results in narcosis, pulmonary edema, and severe kidney and liver damage.
Chronic symptoms	:	No data available.

SECTION 12: Ecological information

12.1. Toxicity

No additional information available

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

No additional information available

Safety Data Sheet

Prepared according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

12.4. Mobility in soil

No additional information available

12.5. Other adverse effects	
No additional information available	
SECTION 13: Disposal consideration	15
13.1. Waste treatment methods	
Waste treatment methods	: Do not discharge to public wastewater systems without permit of pollution control authorities. No discharge to surface waters is allowed without an NPDES permit.
Waste disposal recommendations	: Dispose in a safe manner in accordance with local/national regulations. Do not allow the product to be released into the environment.
SECTION 14: Transport information	
In accordance with DOT	
Transport document description	: Cleaning Compound
Department of Transportation (DOT) Hazard Classes	: Not Regulated
Other information	: Not regulated in pkg. of less than 119 gal.
Transport by sea	
No additional information available	
Air transport	
No additional information available	
In accordance with ADR / RID / IMDG / IATA / AI	N
SECTION 15: Regulatory information)
15.1. US Federal regulations	
Sentinel Cirtosolve Mastic Remover (VOC C	ompliant)
· · · · ·	d in the EPA (Environmental Protection Agency) TSCA (Toxic Substances Control Act) Inventory
SARA Section 311/312 Hazard Classes	Immediate (acute) health hazard Fire hazard
Petroleum distillates, hydrotreated light (647	742-47-8)
Listed on the United States TSCA (Toxic Subst	ances Control Act) inventory
d-Limonene (5989-27-5)	
Listed on the United States TSCA (Toxic Subst	ances Control Act) inventory
2-(2-butoxyethoxy)ethanol (112-34-5)	
Listed on the United States TSCA (Toxic Subst	ances Control Act) inventory
Surfactant (Proprietary)	anaca Cantral Act) inventory
Listed on the United States TSCA (Toxic Subst	
15.2. International regulations CANADA	
Petroleum distillates, hydrotreated light (647	742-47-8)
Listed on the Canadian DSL (Domestic Substan	
2-(2-butoxyethoxy)ethanol (112-34-5)	nees List) inventory
Listed on the Canadian DSL (Domestic Substan	nces List) inventory.
Surfactant (Proprietary)	
Listed on the Canadian DSL (Domestic Substan	nces List) inventory.
No additional information available	
15.2.2. National regulations	
Petroleum distillates, hydrotreated light (647	742-47-8)
	•

Petroleum distillates, hydrotreated light (64742-47-8)

Listed on Inventory of Existing Chemical Substances (IECSC) Listed on the AICS (the Australian Inventory of Chemical Substances)

Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory. Listed on the Korean ECL (Existing Chemical List) inventory.

Safety Data Sheet

Prepared according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

2-(2-butoxyethoxy)ethanol (112-34-5)	
Listed on Inventory of Existing Chemical Substances (IECSC) Listed on the AICS (the Australian Inventory of Chemical Substances)	
Listed on the Japanese ENCS (Existing & New Chemicals Substances) inventory. Listed on the Korean ECL (Existing Chemical List) inventory. Listed on the Philippines CCS (Chemicals & Chemical Substances) inventory.	
Surfactant (Proprietary)	
Listed on Inventory of Existing Chemical Substances (IECSC) Listed on the AICS (the Australian Inventory of Chemical Substances) Listed on the Japanese ENCS (Existing & New Chemicals Substances) inventory. Listed on the Korean ECL (Existing Chemical List) inventory. Listed on the Philippines CCS (Chemicals & Chemical Substances) inventory.	

15.3. US State regulations

California Proposition 65

This product does not contain any substances known to the state of California to cause cancer and/or reproductive harm

SECTION 16:	Other in	formation
-------------	----------	-----------

Indication of changes	: Revision 1.0 – 2 September 2015 - New SDS Created.
Other information	: Author. KAD
NFPA health hazard	: 1 - Exposure could cause irritation but only minor residual injury even if no treatment is given.
NFPA fire hazard	: 2 - Must be moderately heated or exposed to relatively high temperature before ignition can occur.
NFPA reactivity	: 0 - Normally stable, even under fire exposure conditions, and are not reactive with water.

HMIS II	Rating	
ما الم م الم ا		

Health	: 1
Flammability	: 2
Physical	: 0
Personal Protection	:

The information in this document is believed to be correct as of the date issued. However, no warranty of merchantability, fitness for any particular purpose, or any other warranty is expressed or is to be implied regarding the accuracy or completeness of this information, the results to be obtained from the use of this product or the hazards related to its use. This information and product are furnished on the condition that the person receiving them shall make his own determination as to the suitability of the product for his particular purpose and on the condition that he assume the risk of his use thereof.