



Sentinel Lead Lockdown/Sealant

Safety Data Sheet

Prepared according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Date of issue: 4/24/2020

Supersedes: All previous versions

Version: 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name : Sentinel Lead Lockdown/Sealant

Product form : Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Uses of the substance/Mixture : Lead Dust Lockdown/Sealant

1.3. Details of the supplier of the safety data sheet

Sentinel Products Inc.
8901 Wyoming Avenue North
Brooklyn Park, MN 55445
Phone: (763) 571-0630
Toll-free: (800)-373-0633
www.senpro.com

1.4. Emergency telephone number

Emergency number : 1-866-359-5661

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (GHS-US)

This product is not classified as defined by OSHA 29 CFR 1910.1200.

2.2. Label elements

Not a hazardous substance or mixture.

GHS-US labeling

2.3. Other hazards

No specific dangers known, if the regulations/notes for storage and handling are considered.

2.4. Unknown acute toxicity (GHS-US)

No data available

SECTION 3: Composition/information on ingredients

3.1. Substance

Not applicable

3.2. Mixture

No hazardous ingredients at concentration levels for which they would need to be taken into account.

While this material is not classified as hazardous under OSHA regulations, this SDS contains valuable information which is critical to the safe use and handling of this product. It should be retained and made available for employees and other users of this product.

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : If exposed or concerned, get medical attention/advice. Show this safety data sheet to the doctor in attendance. Wash contaminated clothing before re-use. Never give anything to an unconscious person.

First-aid measures after inhalation : IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if breathing is affected. If breathing is difficult, supply oxygen.

First-aid measures after skin contact : IF ON SKIN (or clothing): Remove affected clothing and wash all exposed skin with water for at least 15 minutes. If irritation develops or persists, get medical attention.

First-aid measures after eye contact : IF IN EYES: Immediately flush with plenty of water for at least 15 minutes. Remove contact lenses if present and easy to do so. If pain, blinking, or irritation develops or persists, get medical attention. Continue rinsing.

First-aid measures after ingestion : IF SWALLOWED: rinse mouth thoroughly. Do not induce vomiting without advice from poison control center or medical professional. Get medical attention if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries after inhalation : May cause respiratory irritation.

Symptoms/injuries after skin contact : May cause skin irritation.

Symptoms/injuries after eye contact : Direct contact with the eyes may be irritating.

Symptoms/injuries after ingestion : May cause gastrointestinal irritation.

Sentinel Lead Lockdown/Sealant

Safety Data Sheet

Prepared according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water fog.

Unsuitable extinguishing media : Water spray may be unsuitable as an extinguishing media, but helpful in keeping adjacent containers cool.

5.2. Special hazards arising from the substance or mixture

Fire hazard : Not determined.

Explosion hazard : Not determined.

Reactivity : No data available.

5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Do not dispose of fire-fighting water in the environment.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : No specific emergency measures are required other than good laboratory hygiene and safety practices.

6.1.1. For non-emergency personnel

Protective equipment : Wear Protective equipment as described in Section 8.

Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Wear suitable protective clothing, gloves and eye or face protection. Approved supplied-air respirator, in case of emergency.

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

For containment : Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.

Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Place in a suitable container for disposal in accordance with the waste regulations (see Section 13).

6.4. Reference to other sections

No additional information available

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Keep container closed when not in use.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Does not require any specific or particular technical measures.

Storage conditions : Store in dry, well-ventilated area. Keep container tightly closed in a cool place.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No exposure limits noted

8.2. Exposure controls

Appropriate engineering controls : Provide adequate general and local exhaust ventilation. Use process enclosures, local exhaust ventilation, or other engineering controls to control airborne levels below recommended exposure limits. Use explosion-proof equipment with flammable materials. Ensure adequate ventilation, especially in confined areas.

Sentinel Lead Lockdown/Sealant

Safety Data Sheet

Prepared according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Personal protective equipment : Gloves. Protective clothing. Protective goggles.



Hand protection : Use gloves chemically resistant to this material when prolonged or repeated contact could occur. Gloves should be classified under Standard EN 374 or ASTM F1296. Suggested glove materials are: Neoprene, Nitrile/butadiene rubber, Polyethylene, Ethyl vinyl alcohol laminate, PVC or vinyl. Suitable gloves for this specific application can be recommended by the glove supplier.

Eye protection : Use eye protection suitable to the environment. Avoid direct contact with eyes.

Skin and body protection : Wear long sleeves, and chemically impervious PPE/coveralls to minimize bodily exposure.

Respiratory protection : Use NIOSH-approved dust/particulate respirator. Where vapor, mist, or dust exceed PELs or other applicable OELs, use NIOSH-approved respiratory protective equipment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

Color : White, dries clear.

Odor : Slight.

Odor Threshold : No data available

pH : 8.5 – 9.0

Relative evaporation rate (butylacetate=1) : No data available

Relative evaporation rate (ether=1) : < 1, Water

Melting point : No data available

Freezing point : No data available

Boiling point : 0 °C (215 - 290 °F)

Flash point : None to boiling

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Flammability (solid, gas) : No data available

Vapour pressure : No data available

Relative vapour density at 20 °C : No data available

Relative density : No data available

Solubility : Complete solubility in water.

Log Pow : No data available

Log Kow : No data available

Viscosity, kinematic : 80 - 90 KU

Viscosity, dynamic : No data available

Explosive properties : No data available

Oxidising properties : No data available

Explosive limits : No data available

9.2. Other information

VOC content : < 5 g/L (Calculated)
*A zero V.O.C. coating by industry standard means the product contains less than 5 grams of V.O.C.'s per liter. Tints and colorants may add V.O.C.'s to the product.

SECTION 10: Stability and reactivity

10.1. Reactivity

No data available.

10.2. Chemical stability

Stable under recommended handling and storage conditions (see section 7).

10.3. Possibility of hazardous reactions

None known.

10.4. Conditions to avoid

Freezing, extreme heat. Both may cause container to fail.

Sentinel Lead Lockdown/Sealant

Safety Data Sheet

Prepared according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

10.5. Incompatible materials

None known.

10.6. Hazardous decomposition products

Thermal decomposition products may include Carbon oxides (CO, CO₂).

SECTION 11: Toxicological information

11.1. Information on toxicological effects

No data is available for the mixture. The information shown is based on the profiles of the ingredients and their concentrations in the product.

Acute toxicity	: Not classified - Based on ingredients and their concentrations in the product, the product is not classified as acutely toxic.
Skin corrosion/irritation	: Not classified - Based on ingredients and their concentrations in the product, the product is not classified for skin irritation.
Serious eye damage/irritation	: Not classified. Based on ingredients and their concentrations in the product, the product is not classified for eye irritation.
Respiratory or skin sensitisation	: Not classified - Based on ingredients and their concentrations in the product, the product is not classified for respiratory or skin sensitization.
Germ cell mutagenicity	: Not classified - Based on ingredients and their concentrations in the product, the product is not classified for germ cell mutagenicity.
Carcinogenicity	: No data for the mixture. Based on ingredients and their concentrations in the product, the product is not classified for carcinogenicity.
Reproductive toxicity	: No data for the mixture. Based on ingredients and their concentrations in the product, the product is not classified for reproductive toxicity.
Specific target organ toxicity (single exposure)	: Not classified - Based on ingredients and their concentrations in the product, the product is not classified for STOT - single exposure.
Specific target organ toxicity (repeated exposure)	: Not classified - Based on ingredients and their concentrations in the product, the product is not classified for STOT – repeated exposure.
Aspiration hazard	: No data for the mixture. Based on ingredients and their concentrations in the product, and the viscosity of the product, the product is not classified as an aspiration hazard.
Symptoms/injuries after inhalation	: No data for the mixture.
Symptoms/injuries after skin contact	: No data for the mixture.
Symptoms/injuries after eye contact	: No data for the mixture.
Symptoms/injuries after ingestion	: No data for the mixture.

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : Aquatic toxicity rating not determined. All possible measures should be taken to prevent release into the environment.

12.2. Persistence and degradability

Sentinel Lead Lockdown/Sealant	
Persistence and degradability	Not established.

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

12.5. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.
Ecology – Waste Materials : Avoid release to the environment. Do not discharge into drains/surface waters/groundwater.

Sentinel Lead Lockdown/Sealant

Safety Data Sheet

Prepared according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 14: Transport information

In accordance with DOT

Not hazardous for transport

Additional information

Other information : No supplementary information available.

Transport by sea

No additional information available

Air transport

No additional information available

SECTION 15: Regulatory information

15.1. US Federal regulations

Sentinel Lead Lockdown/Sealant

All chemical substances in this product are listed in the EPA (Environment Protection Agency) TSCA (Toxic Substances Control Act) Inventory or are exempt from listing.

15.2. International regulations

CANADA

No additional information available.

15.2.2. National regulations

No additional information available.

15.3. US State regulations

This product does not contain any substances known to the state of California to cause cancer and/or reproductive harm

SECTION 16: Other information


Indication of changes : Revision 1.0: - 24 April 2020 – New SDS Created

Other information : Author: KAD

NFPA health hazard : 1 - Exposure could cause irritation but only minor residual injury even if no treatment is given.

NFPA fire hazard : 0 - Materials that will not burn.

NFPA reactivity : 0 - Normally stable, even under fire exposure conditions, and are not reactive with water.



HMIS III Rating

Health : 1

Flammability : 0

Physical : 0

Personal Protection :

The information in this document is believed to be correct as of the date issued. However, no warranty of merchantability, fitness for any particular purpose, or any other warranty is expressed or is to be implied regarding the accuracy or completeness of this information, the results to be obtained from the use of this product or the hazards related to its use. This information and product are furnished on the condition that the person receiving them shall make his own determination as to the suitability of the product for his particular purpose and on the condition that he assume the risk of his use thereof.